

NRG POWER TYPHOON ZIP



WE ARE TRANSFORMING MOBILITY THANKS TO A BLEND OF TECHNOLOGY AND ART, A COMBINATION OF NEW IDEAS AND UNIQUE DESIGN. WE ARE SHOWING THE WHOLE WORLD THAT FUNCTIONALITY CAN BE FUN AND THAT PRACTICALITY CAN ALSO BE A THING OF BEAUTY. WE WANT TO ENSURE THAT PRESSING THAT START BUTTON SETS OFF REACTIONS THAT WILL TRANSFORM MONDAY MORNINGS INTO AN EXCITING EXPERIENCE, WHETHER IT BE THE SCRAMBLE TO SCHOOL, THE HOURS SPENT IN TRAFFIC OR THE PANIC PHONE CALLS MADE WHEN THERE IS NO MORE BREAD LEFT AT HOME. LET'S ENJOY EVEN THE MOST MUNDANE OF ROUTES AND MAKE OUR JOURNEY THE HIGHLIGHT OF THE DAY.









NEW SADDLE



LARGER FRONT DISC



SPACIOUS UNDERSEAT COMPARTMENT, LARGE ENOUGH TO HOLD A FULL-FACE HELMET



NEW DASHBOARD WITH ANALOGUE AND DIGITAL DYSPLAY



NEW 50cc 2 STROKE ENGINE, LIQUID-COOLED, ELECTRONIC CARBURETTOR, EURO 4

TYPHOON

50 2S





NEW 50cc 2 STROKE ENGINE, AIR-COOLED WITH ELECTRIC IGNITION AND KICK STARTER, EURO 4



NEW DASHBOARD WITH ANALOGUE AND DIGITAL DYSPLAY




USB PORT IN THE STORAGE COMPARTMENT



COMPACT DIMENSIONS AND FLAT FOOTBOARD



SPACIOUS UNDERSEAT COMPARTMENT, LARGE ENOUGH TO HOLD A FULL-FACE HELMET



WIDE TYRES







NEW 50 CC I-GET ENGINE 4-STROKE, 3 VALVE ELECTRONIC INJECTION EURO 4



COMFORTABLE SADDLE, ADJUSTABLE TO THREE DIFFERENT HEIGHTS



SPACIOUS UNDERSEAT COMPARTMENT, LARGE ENOUGH TO HOLD A FULL-FACE HELMET



MAXIMUM RESPECT FOR THE ENVIRONMENT WITH LOW FUEL CONSUMPTION


COLOUR







MATT GREY



PASTEL WHITE LUNA



PASTEL WHITE







PASTEL WHITE OTTICO

PASTEL BLACK



NRG POWER

- Top box (can hold one full-face helmet or one flip-up helmet)
- Top box mounting kit
- Saddle-handlebar anti-theft system

Windscreen

YPHOON

- Top box kit with interface plate (can hold one full-face helmet or one flip-up helmet)
- Saddle-handlebar anti-theft system

- Topbox
- Windshield
- Smoked effect flyscreen
- Saddle-handlebar anti-theft

ORIGINAL ACCESSORIES

The company reserves the right to make technical and aesthetic changes at any time. Ride carefully, always wearing a helmet and suitable gear. Always comply with the rules of the road and respect the environment. Read the operating and maintenance manual carefully. Always ask for original and approved spare parts in accordance with prevailing standards. See your Official Piaggio Dealership and Authorised Retailers for a secure purchase and guaranteed service support. Original Piaggio spare parts are a guarantee of quality and ensure that vehicle performance remains unaltered.

	NRG	TYPHOON	ZIP
	50 2S	50 2S	50 i-get
Engine	Single cylinder, 2-stroke	Single cylinder, 2-stroke	Single cylinder 4-stroke i-get
Engine capacity	49 cc	49 cc	50 cc
Bore per stroke	40 mm x 39.3 mm	40 mm x 39.3 mm	39 mm x 41.8 mm
Max. power	3 kW (4.08 HP) at 7,000 rpm	2.2 kW (3 HP) at 7,000 rpm	2.3 kW (3.12 HP) at 7,250 rpm
Max. torque	4 Nm at 6,500 rpm	3 Nm at 6,500 rpm	3.1 Nm at 6,750 rpm
Consumption	29.85 km/l	26.3 km/l	35.71 km/l (WMTC cycle)
CO ₂ Emissions	76 g/km	85 g/km	63 g/km
Distribution	-	-	Single overhead camshaft, 3 valves
Cooling	Water	Air	Air
Lubrication	Automatic mixer	Automatic mixer	Oil with wet sump
Starter	Electronic carburettor	Electronic carburettor	Electric
Fuel system	Electric starter and kick starter	Electric starter and kick starter	Electronic injection
Transmission	CVT continuously variable	CVT continuously variable	Automatic CVT
	transmission	transmission	
Clutch	Automatic centrifugal dry clutch	Automatic centrifugal dry clutch	Automatic centrifugal dry clutch
Frame	Single cradle structure in high resistance tubular steel	Single cradle structure in high resistance tubular steel	High resistance tubular steel
Front suspension	Hydraulic telescopic fork	Hydraulic telescopic fork	Hydraulic telescopic fork
Rear suspension	Single hydraulic shock absorber	Single hydraulic shock absorber	Single hydraulic shock absorber
Front tyre	120/70 - 13"	120/80 - 12"	100/80 R10
Rear tyre	130/60 - 13"	130/80 - 12"	120/70 R10
Front brake	240 mm Ø disc	220 mm Ø disc	175 mm Ø disc
Rear brake	175 mm Ø disc	140 mm Ø drum	110 mm Ø drum
Length / Width / Wheelbase	1,800 mm / 730 mm / 1,275 mm	1,945 mm / 690 mm / 1,360 mm	1,700 mm / 680 mm / 1,230 mm
Seat Height	810 mm	789 mm	Adjustable: 750 mm - 765 mm - 780 mm
Fuel tank capacity	6.5 litres	6.5 litres	6.6 litres
Emissions compliance	Euro 4	Euro 4	Euro 4

COMPANY WITH

CERTIFIED BY DNV

=ISO 14001=

